



Shall Ma

Moible: 86-13705740402

CHINAPACK NINGBO IMPORT&EXPORT CO.,LTD

E-mail:shall@ssopend007.com

Tel:86-574-8386 6461/62/63

Web:www.chinapackningbo.com

2018 Product Catalogue

Smart Companion • Wireless charger

ODM/OEM Solution and Service Provider



Content

The Smart Companion P/01-07

Stereo Wireless Speaker P/08

Wireless Station

- Wireless Charging Pad P/11-15
- Qi Embedded TX module P/16
For Furniture
- Wireless Car Charger P/17
- FAST Wireless Charger P/18
- Wireless Charging Power Bank P/19

Content

Wireless Receiver

- iPhone 6S/6S Plus P/20
- Galaxy S3/S4/S5 P/21
- Galaxy Note2/3/4 P/22
- iPhone 5/6/7 P/23
- Micro USB P/24

New Digital Accessories

- Audio Adapter For
iPhone 7/7 Plus P/26-30

Small Size, Smart Life

iPhone Voice Control



Model: SX-1

Specifications

Voice Control
Voice to dial
Voice assistant
Remote Camera
Active Noise Cancellation
IOS,Android Compatible
Anti-Lost
Small Size:45*45*13mm

Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥55dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Small Size, Smart Life

iPhone Voice Control



Model: SX-2

Specifications

Voice Control
Voice to dial
Voice assistant
Remote Camera
Active Noise Cancellation
IOS,Android Compatible
Anti-Lost
Small Size:45*45*15mm

Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥55dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Small Size, Smart Life

iPhone Voice Control



Model: SX-3

Specifications

Voice Control
Voice to dial
Voice assistant
Remote Camera
Active Noise Cancellation
IOS,Android Compatible
Anti-Lost
Small Size:42*50*14mm

Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥55dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Small Size, Smart Life

Specifications

100% Wooden
Remote Camera
Hands-Free
Anti-Lost
Active Noise Cancellation
IOS,Android Compatible
Rechargeable Battery
Small Size:30*30*30mm

Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥90dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Pure Wooden Material



Model: SX-4

Small Size, Smart Life

iPhone Voice Control



Model: SX-5

Specifications

Voice Control
Voice to dial
Voice assistant
Remote Camera
Active Noise Cancellation
IOS,Android Compatible
Rechargeable Battery
Small Size:42*50*14mm

Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥55dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Bone Conduction Headset

Specifications

Sound can pass through the skull directly to the auditory center,which eliminates many steps of acoustic transmission, it can achieve clear sound reductions in a noisy environment, so as to release the ears and revert to the delicate tone function. Suitable for people who jog,run,cycle,etc.

Playback time: up to 5 hours
The standby time : up to 15 days
Fully charging time: 1.8 hours
Transducer sensitivity: $100 \pm 3\text{db}$
Microphone sensitivity: $50 \pm 3\text{db}$
Weight: 57g

Certificate

CE,FCC,RoHS,REACH

Stereo Headset



Model: SX-11

Stereo Wireless Speaker

Stereo Speaker



Model: SX-8

Specifications

Stereo Speaker
Remote Camera
Hands-Free
Anti-Lost
Active Noise Cancellation
IOS,Android Compatible
Rechargeable Battery
Small Size:30*30*30mm

Technical info:


(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥90dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Stereo Wireless Speaker

Stereo Speaker



Model: SX-6

Specifications

Stereo Speaker
Remote Camera
Hands-Free
Anti-Lost
Active Noise Cancellation
IOS,Android Compatible
Rechargeable Battery
Small Size:30*30*30mm


Technical info:

(Rated power) PO=2W
(Frequency Response) 180HZ-16KHZ
(Distortion factor) THD<1%
(Signal-to-noise ratio) S/N≥90DB
(Separation) ≥90dB
(Speaker) 7Ω 2W
(Battery) 3.7V/180mAh polymer Li

Certificate

CE,FCC,RoHS,REACH

Trend of Qi & WPC




qi
WPC
WIRELESS POWER
CONSORTIUM

Alliance for
Wireless Power
A4WP

pma
power matters alliance
PLM

Wireless Charging pad

Bamboo Material



Model: T-1

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC 5V 2A
(Output) 5V 1.5A
(Charging current) 1000mA-1500mA
(Energy conversion) >76%
(Power distance) 3-8mm
(Size) 75*75*10mm
(Weight) 44g

Certificate

CE, FCC, RoHS

Wireless Charging pad

QI STATION



Model: T-2

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC 5V 2A
(Output) 5V 1.5A
(Charging current) 1000mA-1500mA
(Energy conversion) >76%
(Power distance) 3-8mm
(Size) 76*76*12mm
(Weight) 50g
(Color) White, Black

Certificate

CE, FCC, RoHS

Wireless Charging pad

QI STATION



Model: T-3

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC 5V 2A
(Output) 5V 1.5A
(Charging current) 500mA-1000mA
(Energy conversion) >70%
(Power distance) 5-6mm
(Size) 90*90*8mm
(Weight) 59g

Certificate

CE, FCC, RoHS

Wireless Charging Pad

QI STATION



Model: T-6

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC 5V 2A
(Output) 5V 1.5A
(Charging current) 1000mA-1500mA
(Energy conversion) >76%
(Power distance) 3-8mm
(Size) 136*143*83mm
(Weight) 124g

Certificate

CE, FCC, RoHS

Wireless Charging pad

QI STATION



Model: T-8

Features

Adopt an Ultra-thin and elegant design, save space when place in office, sitting room ,etc.
Stable charging,high charging efficiency
Anti-slip silicone rubber hold smart phone tightly

Technical info:

(Input) DC 5V 2A
(Transmission power) 5W
(Power) USB cable
(Energy conversion) >70%
(Power distance) 5-6mm
(Size) 70*70*13mm
(Weight) 54g
(Color) Black

Certificate

CE,FCC,RoHS

Qi Embedded Charging Pad For Furniture

QI STATION



Model: OT-4

Features

Fashionable design,slim body
Can be integrated in any product like house hold electrical appliances,furniture, cerameics and etc
Bring you high-tech wireless life enjoyment

Technical info:

(Input) DC 5V 1.5A-2A
(Transmission power) 5W
(Charging current) 1000mA-1200mA
(Energy conversion) >76%
(Power distance) 3-8mm
(Size) 87*87*10.2mm
(Weight) 132g
(Color) Golden,Silver

Certificate

CE,FCC,RoHS

Wireless Car Charger

QI STATION



Model: CT-1

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC 5V/2A
(Output) 5W
(Charging current) 1000mA-1500mA
(Energy conversion) >76%
(Power distance) 6-8mm
(Size) 60*60*40mm
(Weight) 42g
(Color) Black

Certificate

CE, FCC, RoHS

FAST Wireless Charger

QI STATION



Model: T-5

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input) DC5V 2A (9V1.6A)
(Output) DV5V 1.5A (9V1.2A)
(Charging current) Max 1500mA
(Energy conversion) >76%
(Power distance) 3-8mm
(Size) 90*90*40mm
(Weight) 47.5g

Certificate

CE, FCC, RoHS

Wireless Charging Power Bank

QI STATION



Model: PBT-3

Features

Fashionable design, slim body
Universal, can charge any Qi inductive device
Bring you high-tech wireless life enjoyment
High efficient charging, easy to use

Technical info:

(Input/Output) DC 5V 2A/5V 1.5A
(Capacity) 8000mAh/Lithium Polymer
(Transmission power) >5W
(Energy conversion) >74%
(Power distance) 5-6mm
(Size) 138*74*18mm
(Weight) 225.5g

Certificate

CE, FCC, RoHS

Wireless Receiver Case For iPhone 6/6S Plus



Model: IP6R-2/IP6R-3

Specifications

(Apply to) iPhone 6S/6S Plus
(Charging voltage) 5V
(Charging current) 850-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 139*69*9mm/160*80.2*9.5mm
(Weight) 24g/36g




Model: IP6R-4

Specifications


(Apply to) iPhone 6 Plus/6S Plus
(Charging voltage) 5V
(Charging current) 500-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 160*80.2*12mm
(Weight) 36g

Wireless Receiver Pad For Samsung Galaxy S3/S4/S5

Wireless Receiver Pad For Samsung Note II/III/IV



Model: S3R-1



Model: S4R-1



Model: S5R-1

Specifications

(Apply to) Galaxy S3
(Charging voltage) 5V
(Charging current) 650-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 60*48*1.3mm
(Weight) 10g

Specifications

(Apply to) Galaxy S4
(Charging voltage) 5V
(Charging current) 600-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 62*51*0.6mm
(Weight) 4g

Specifications

(Apply to) Galaxy S5
(Charging voltage) 5V
(Charging current) 1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 60.3*50.3*1.1mm
(Weight) 4g



Model: N2R-1



Model: N3R-1



Model: N4R-1

Specifications

(Apply to) Galaxy Note II
(Charging voltage) 5V
(Charging current) 700-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 68*51.5*1.6mm
(Weight) 10g


Specifications

(Apply to) Galaxy Note III
(Charging voltage) 5V
(Charging current) 700-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 58*69*0.8mm
(Weight) 8g


Specifications

(Apply to) Galaxy Note IV
(Charging voltage) 5V
(Charging current) 700-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 67*34*0.2mm
(Weight) 8g

Wireless Receiver Pad For iPhone 5/6/7



Model: IP5R-2



Model: IP6R-1



Model: IP7R-1

Specifications

(Apply to) iPhone 5/5S/5C
(Charging voltage) 5V
(Charging current) 600-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 67*34*0.2mm
(Weight) 40g

Specifications

(Apply to) iPhone 6S/6S Plus
(Charging voltage) 5V
(Charging current) 850-1000mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 100*48*1.1mm
(Weight) 5g

Specifications

(Apply to) iPhone 7/7 Plus
(Charging voltage) 5V
(Charging current) 500-850mA
(Power distance) 5mm
(Charging effect) $\geq 74\%$
(Size) 77.2*47.6*1.1mm
(Weight) 6g

Features

Compatible for most phones with
Micro USB interface.
Bring you high-tech wireless life enjoyment
High efficient charging,easy to use

Technical info:

(Apply to) Most Phones with Micro USB interface
(Charging voltage) 5V
(Charging current) 800mA-1000mA
(Energy conversion) $>74\%$
(Power distance) 5mm
(Size) 68.5*48*0.9mm
(Weight) 8g
(Color) Black


Certificate

CE,FCC,RoHS


Wireless Receiver For Micro USB



A



B



Model: SR-1



For iPhone 7/7 Plus

NEW DIGITAL
ACCESSORIES

25

Audio Adapter For iPhone 7/7 Plus

Features

- Support ios 10.3
- Support listening and recharging at the same time
- Support Play/Pause, Backward/Forward song

Technical info:

- (Input) 5V 2A
- (Charging current) Max 2A
- (Material) Aluminum+TPE
- (Weight) 12g
- (Size) 130*28.9*9mm
- (Color) Golden,RedGolden,Silver,Black

Certificate

CE,FCC,RoHS

3-in-1



Model: LA003


26

Audio Adapter For iPhone 7/7 Plus

4-in-1



Model: LA003BT



Features

Support ios 10.3

Make Calling

Listening and recharging at the same time

Support Play/Pause, Backward/Forward song

Technical info:

(Input) 5V 2A

(Charging current) Max 2A

(Standby power) 10mA

(Operation Current) 22mA

(Bluetooth Version) BT 4.2

(Weight) 12g

(Size) 130*28.9*9mm

(Color) Golden,RoseGolden,Silver,Black

Certificate

CE,FCC,RoHS

Audio Adapter For iPhone 7/7 Plus

4-in-1



Model: LA006BT



Features

Support ios 10.3

Make Calling

Listening and recharging at the same time

Support Play/Pause, Backward/Forward song

Technical info:

(Input) 5V 2A

(Charging current) Max 2A

(Standby power) 10mA

(Operation Current) 22mA

(Bluetooth Version) BT 4.2

(Weight) 6g

(Size) 33.5*28.9*9mm

(Color) Golden,RoseGolden,Silver,Black

Certificate


CE,FCC,RoHS

Audio Adapter For iPhone 7/7 Plus

Dual Lightning



Model: LA007



29

Features

Support ios 10.3
Support Lightning Earphone
Listening and recharging at the same time
Support Play/Pause, Backward/Forward song

Technical info:

(Input) 5V 2A
(Charging current) Max 2A
(Standby power) 10mA
(Operation Current) 22mA
(Weight) 12g
(Size) 130*28.9*9mm
(Color) Golden,RoseGolden,Silver,Black

Certificate

CE,FCC,RoHS

Audio Adapter For iPhone 7/7 Plus

5-in-1



Model: LA008



30

Features

Support ios 10.3
Lightning or Micro USB to Recharge
Listening and recharging at the same time
Support Play/Pause, Backward/Forward song

Technical info:

(Input) 5V 2A
(Charging current) Max 2A
(Standby power) 10mA
(Operation Current) 22mA
(Bluetooth Version) BT 4.2
(Weight) 15g
(Size) 130*28.9*9mm
(Color) Golden,RoseGolden,Silver,Black

Certificate

CE,FCC,RoHS